

# Material Safety Data Sheet

Envelope Repair



## 1. Product and company identification

|                                    |  |
|------------------------------------|--|
| <b>Product name</b>                | : Envelope Repair  |
| <b>Supplier</b>                    | : Same as manufacturer.  |
| <b>Synonym</b>                     | : Rubber Repair  |
| <b>Trade name</b>                  | : Envelope Repair  |
| <b>Material uses</b>               | : Not available.   |
| <b>Manufacturer</b>                | : Tech International, 200 E. Coshocton St., Johnstown, Ohio 43031, 1-740-967-9015;<br>Chemtrec 1-800-424-9300  |
| <b>Code</b>                        | : 672  |
| <b>MSDS #</b>                      | : 672  |
| <b>Validation date</b>             | : 4/14/2014.   |
| <b>Print date</b>                  | : 4/14/2014.   |
| <b><u>In case of emergency</u></b> | : Chemtrec 1-800-424-9300 (24hrs)<br>CHEMTREC Brazil (Rio De Janeiro): +(55)-2139581449<br>CHEMTREC Mexico: 01-800-681-9531<br>CHEMTREC Russia: 8-800-100-6346 |
| <b>Product type</b>                | : Solid.   |

## 2. Hazards identification

### Emergency overview

|                               |  |
|-------------------------------|--|
| <b>Physical state</b>         | : Solid.   |
| <b>Color</b>                  | : Not available.   |
| <b>Odor</b>                   | : Not available.   |
| <b>Signal word</b>            | : CAUTION!   |
| <b>Hazard statements</b>      | : MAY CAUSE EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA. POSSIBLE CANCER HAZARD - CONTAINS MATERIAL WHICH MAY CAUSE CANCER, BASED ON ANIMAL DATA.  |
| <b>Precautionary measures</b> | : Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Use personal protective equipment as required. Wash thoroughly after handling. |
| <b>Routes of entry</b>        | : Not available.   |

### Potential acute health effects

|                   |  |
|-------------------|--|
| <b>Inhalation</b> | : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. |
| <b>Ingestion</b>  | : No known significant effects or critical hazards.  |
| <b>Skin</b>       | : Moderately irritating to the skin.   |
| <b>Eyes</b>       | : Moderately irritating to eyes.   |

### Potential chronic health effects

|                              |   |
|------------------------------|---|
| <b>Chronic effects</b>       | : Contains material that may cause target organ damage, based on animal data.   |
| <b>Carcinogenicity</b>       | : Contains material which may cause cancer, based on animal data. Risk of cancer depends on duration and level of exposure. |
| <b>Mutagenicity</b>          | : No known significant effects or critical hazards.   |
| <b>Teratogenicity</b>        | : No known significant effects or critical hazards.   |
| <b>Developmental effects</b> | : No known significant effects or critical hazards.   |

## 2. Hazards identification

- Fertility effects** : No known significant effects or critical hazards.
- Target organs** : Contains material which may cause damage to the following organs: lungs, upper respiratory tract, skin, eye, lens or cornea.

### Over-exposure signs/symptoms

- Inhalation** : No specific data.
- Ingestion** : No specific data.
- Skin** : Adverse symptoms may include the following:  
irritation  
redness
- Eyes** : Adverse symptoms may include the following:  
irritation  
watering  
redness
- Medical conditions aggravated by over-exposure** : Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (Section 11)

## 3. Composition/information on ingredients

| Name   | CAS number | %       |
|--|------------|---------|
| carbon black respirable                                | 1333-86-4  | 25 - 50 |
| distillates (petroleum), hydrotreated heavy paraffinic | 64742-54-7 | 5 - 10  |
| di(benzothiazol-2-yl) disulphide                       | 120-78-5   | 0 - 5   |
| zinc oxide   | 1314-13-2  | 0 - 5   |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## 4. First aid measures

- Eye contact** : Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
- Skin contact** : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
- Inhalation** : Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
- Ingestion** : Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

## 5. Fire-fighting measures

**Flammability of the product** : No specific fire or explosion hazard.

### Extinguishing media

**Suitable** : Use an extinguishing agent suitable for the surrounding fire.

**Not suitable** : None known.

**Special exposure hazards** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides  
sulfur oxides  
metal oxide/oxides

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**Special remarks on fire hazards** : Not available.

**Special remarks on explosion hazards** : Not available.

## 6. Accidental release measures

**Personal precautions** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

**Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods for cleaning up

**Small spill** : Move containers from spill area. Avoid dust generation. Do not dry sweep. Place spilled material in a designated, labeled waste container. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

**Large spill** : Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## 7. Handling and storage

**Handling** : Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

## 7. Handling and storage

**Storage** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## 8. Exposure controls/personal protection

| <u>Occupational exposure limits</u>                    |                 | TWA (8 hours) |                       |       | STEL (15 mins) |                       |       | Ceiling |                       |       | Notations |
|--|-----------------|---------------|-----------------------|-------|----------------|-----------------------|-------|---------|-----------------------|-------|-----------|
| Ingredient   | List name       | ppm           | mg/<br>m <sup>3</sup> | Other | ppm            | mg/<br>m <sup>3</sup> | Other | ppm     | mg/<br>m <sup>3</sup> | Other |           |
| carbon black respirable                                | US ACGIH 3/2012 | -             | 3                     | -     | -              | -                     | -     | -       | -                     | -     | [a]       |
|  | AB 4/2009       | -             | 3.5                   | -     | -              | -                     | -     | -       | -                     | -     |           |
|  | BC 4/2012       | -             | 3                     | -     | -              | -                     | -     | -       | -                     | -     | [b]       |
|  | ON 7/2010       | -             | 3.5                   | -     | -              | -                     | -     | -       | -                     | -     |           |
| zinc oxide   | QC 9/2011       | -             | 3.5                   | -     | -              | -                     | -     | -       | -                     | -     |           |
|  | US ACGIH 3/2012 | -             | 2                     | -     | -              | 10                    | -     | -       | -                     | -     | [c]       |
|  | AB 4/2009       | -             | 2                     | -     | -              | 10                    | -     | -       | -                     | -     | [d]       |
|  | BC 4/2012       | -             | 2                     | -     | -              | 10                    | -     | -       | -                     | -     | [d]       |
| distillates (petroleum), hydrotreated heavy paraffinic | ON 7/2010       | -             | 2                     | -     | -              | 10                    | -     | -       | -                     | -     | [c]       |
|  | QC 9/2011       | -             | 5                     | -     | -              | 10                    | -     | -       | -                     | -     | [e]       |
|  | US ACGIH 3/2012 | -             | 5                     | -     | -              | -                     | -     | -       | -                     | -     | [a]       |
|  | AB 4/2009       | -             | 5                     | -     | -              | 10                    | -     | -       | -                     | -     | [f]       |
|  | ON 7/2010       | -             | 5                     | -     | -              | 10                    | -     | -       | -                     | -     | [g]       |
|  | QC 9/2011       | -             | 5                     | -     | -              | 10                    | -     | -       | -                     | -     | [g]       |

**Form:** [a]Inhalable fraction [b]Inhalable [c]Respirable fraction [d]Respirable [e]fume [f]Mist [g]mist

### Consult local authorities for acceptable exposure limits.

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

**Engineering measures** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### Personal protection

#### **Respiratory**

: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

#### **Hands**

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

## 8. Exposure controls/personal protection

|   |   |
|---|---|
| <b>Eyes</b>                                       | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |
| <b>Skin</b>                                       | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.   |
| <b>Environmental exposure controls</b>            | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.                |
| <b>Other protection</b>                           | : Not available.  |
| <b>Personal protective equipment (Pictograms)</b> | : Not available.  |

## 9. Physical and chemical properties

|  |   |
|--|---|
| <b>Physical state</b>                        | : Solid.                                      |
| <b>Flash point</b>                           | : Closed cup: Not applicable.                 |
| <b>Burning time</b>                          | : Not available.                              |
| <b>Burning rate</b>                          | : Not available.                              |
| <b>Auto-ignition temperature</b>             | : Not available.                              |
| <b>Flammable limits</b>                      | : Not available.                              |
| <b>Color</b>                                 | : Not available.                              |
| <b>Odor</b>                                  | : Not available.                              |
| <b>Taste</b>                                 | : Not available.                              |
| <b>Molecular weight</b>                      | : Not applicable.                             |
| <b>Molecular formula</b>                     | : Not applicable.                             |
| <b>pH</b>                                    | : Not available.                              |
| <b>Boiling/condensation point</b>            | : Not available.                              |
| <b>Melting/freezing point</b>                | : Not available.                              |
| <b>Critical temperature</b>                  | : Not available.                              |
| <b>Relative density</b>                      | : 0.91  |
| <b>Vapor pressure</b>                        | : Not available.                              |
| <b>Vapor density</b>                         | : Not available.                              |
| <b>Volatility</b>                            | : Not available.                              |
| <b>Odor threshold</b>                        | : Not available.                              |
| <b>Evaporation rate</b>                      | : Not applicable.                             |
| <b>SADT</b>                                  | : Not available.                              |
| <b>Viscosity</b>                             | : Dynamic (room temperature): Not applicable. |
| <b>Ionicity (in water)</b>                   | : Not available.                              |
| <b>Dispersibility properties</b>             | : Not available.                              |
| <b>Solubility</b>                            | : Not available.                              |
| <b>Physical/chemical properties comments</b> | : Not available.                              |

## 10. Stability and reactivity

- Chemical stability** : The product is stable.
- Conditions to avoid** : No specific data.
- Incompatible materials** : No specific data.
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.

## 11. Toxicological information

### Acute toxicity

| Product/ingredient name                                  | Result      | Species | Dose         | Exposure |
|--|-------------|---------|--------------|----------|
| carbon black respirable di(benzothiazol-2-yl) disulphide | LD50 Oral   | Rat     | >15400 mg/kg | -        |
|  | LD50 Dermal | Rabbit  | >7940 mg/kg  | -        |
|  | LD50 Oral   | Rat     | >12 g/kg     | -        |

**Conclusion/Summary** : Not available.

### Chronic toxicity

Not available.

**Conclusion/Summary** : Not available.

### Irritation/Corrosion

| Product/ingredient name | Result               | Species | Score | Exposure                | Observation |
|-------------------------|----------------------|---------|-------|-------------------------|-------------|
| zinc oxide              | Eyes - Mild irritant | Rabbit  | -     | 24 hours 500 milligrams | -           |
|                         | Skin - Mild irritant | Rabbit  | -     | 24 hours 500 milligrams | -           |

**Conclusion/Summary** : Not available.

### Sensitizer

Not available.

**Conclusion/Summary** : Not available.

### Carcinogenicity

Not available.

**Conclusion/Summary** : Not available.

### Classification

| Product/ingredient name   | ACGIH | IARC | EPA | NIOSH | NTP | OSHA |
|---|-------|------|-----|-------|-----|------|
| carbon black respirable distillates (petroleum), hydrotreated heavy paraffinic zinc oxide | A3    | 2B   | -   | +     | -   | -    |
|   | A4    | -    | -   | -     | -   | -    |
|   | A4    | -    | -   | -     | -   | -    |

### Mutagenicity

Not available.

**Conclusion/Summary** : Not available.

### Teratogenicity

Not available.

**Conclusion/Summary** : Not available.

## 11. Toxicological information

### Reproductive toxicity

Not available.

**Conclusion/Summary** : Not available.

**Synergistic products** : Not available.

## 12. Ecological information

**Ecotoxicity** : No known significant effects or critical hazards.

### Aquatic ecotoxicity

| Product/ingredient name | Result                              | Species  | Exposure |
|-------------------------|-------------------------------------|--|----------|
| zinc oxide              | Acute EC50 0.042 mg/l Fresh water   | Algae - Pseudokirchneriella subcapitata - Exponential growth phase | 72 hours |
|                         | Acute LC50 98 µg/l Fresh water      | Daphnia - Daphnia magna - Neonate                                  | 48 hours |
|                         | Acute LC50 1.1 ppm Fresh water      | Fish - Oncorhynchus mykiss   | 96 hours |
|                         | Chronic NOEC 0.017 mg/l Fresh water | Algae - Pseudokirchneriella subcapitata - Exponential growth phase | 72 hours |

**Conclusion/Summary** : Not available.

### Persistence/degradability

Not available.

**Conclusion/Summary** : Not available.

**Partition coefficient: n-octanol/water** : Not available.

**Bioconcentration factor** : Not available.

**Mobility** : Not available.

**Toxicity of the products of biodegradation** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## 13. Disposal considerations

**Waste disposal** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.








**Waste stream** : Not available.

**RCRA classification** : Not available.

Disposal should be in accordance with applicable regional, national and local laws and regulations.



Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## 14. Transport information

| Regulatory information       | UN number      | Proper shipping name  | Classes        | PG* | Label  | Additional information  |
|------------------------------|----------------|---|----------------|-----|--|---|
| <b>DOT Classification</b>    | UN3077         | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.              | 9              | III |   | <b>Reportable quantity</b><br>1042.3 lbs / 473.2 kg<br>The classification of the product is due solely to the presence of one or more US DOT-listed 'Hazardous substances' that are subject to reportable quantity requirements and only applies to shipments of packages greater than, or equal to, the product reportable quantity. Package sizes less than the product reportable quantity are not regulated as hazardous materials. |
| <b>TDG Classification</b>    | Not available. | Not available.  | Not available. | -   |  | -   |
| <b>Mexico Classification</b> | UN3077         | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide) | 9              | III | <br> | -   |
| <b>ADR/RID Class</b>         | UN3077         | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide) | 9              | III | <br> | <b>Tunnel code</b><br>(E)   |
| <b>IMDG Class</b>            | UN3077         | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide) | 9              | III | <br> | -   |
|                              |                |   |                |     |  |   |



## 14. Transport information

|                       |        |   |   |     |  |   |
|-----------------------|--------|---|---|-----|--|---|
| <b>IATA-DGR Class</b> | UN3077 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide) | 9 | III | <br> | - |
|-----------------------|--------|---|---|-----|--|---|

PG\* : Packing group

## 15. Regulatory information

- United States inventory (TSCA 8b)** : All components are listed or exempted.
- WHMIS (Canada)** : Class D-2A: Material causing other toxic effects (Very toxic).
- Canadian lists**
- Canadian NPRI** : The following components are listed: Zinc (and its compounds)
- CEPA Toxic substances** : None of the components are listed.
- Canada inventory** : All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

### International regulations

- International lists**
- Australia inventory (AICS)**: All components are listed or exempted.
  - China inventory (IECSC)**: All components are listed or exempted.
  - Japan inventory**: Not determined.
  - Korea inventory**: All components are listed or exempted.
  - Malaysia Inventory (EHS Register)**: Not determined.
  - New Zealand Inventory of Chemicals (NZIoC)**: All components are listed or exempted.
  - Philippines inventory (PICCS)**: All components are listed or exempted.
  - Taiwan inventory (CSNN)**: Not determined.

- Chemical Weapons Convention List Schedule I Chemicals** : Not listed
- Chemical Weapons Convention List Schedule II Chemicals** : Not listed
- Chemical Weapons Convention List Schedule III Chemicals** : Not listed

## 16. Other information

- Label requirements** : MAY CAUSE EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA. POSSIBLE CANCER HAZARD - CONTAINS MATERIAL WHICH MAY CAUSE CANCER, BASED ON ANIMAL DATA.

- Hazardous Material Information System (U.S.A.)** :

|                  |   |
|------------------|---|
| Health           | 2 |
| Flammability     | 0 |
| Physical hazards | 0 |
|                  |   |

## 16. Other information

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

**References** : Not available.

**Other special considerations** : Not available.

**Date of printing** : 4/14/2014.

**Date of issue** : 4/14/2014.

**Date of previous issue** : No previous validation.

**Version** : 0.01

**Prepared by** : Not available.

☑ Indicates information that has changed from previously issued version.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.