

XII. Tech Product Shelf Life/ Storage Conditions

9 Month Shelf Life	Storage Temperature Range 50°F (10°C) to 86°F (30°C) and out of direct sunlight
Item Number	Item Description
LRR	LOW TEMP. ROPE RUBBER
TRR	TREAD ROPE RUBBER



1 Year Shelf Life	Storage Temperature Range 50°F (10°C) to 86°F (30°C) and out of direct sunlight
Item Number	Item Description
849 - 870	VUL-GUM
AX50U	RADIAL OTR UNCURED REPAIR UNITS
AX60U	
AX80U	
AX100U	
AX120U	
AX140U	
AX155U	RADIAL OTR UNCURED AND HEAT CURE REPAIR UNITS
CT45AU, CT45AH	
CT46AH	
CT50AH	
CT52AH	
CT55AU, CT55AH	
CT56AH	
CT60AH	
CT62AH	
CT65AU, CT65AH	
CT72AH	BIAS OTR UNCURED AND HEAT CURE REPAIR UNITS
CT75AU, CT75AH	
CT85AU, CT85AH	
TOR1U, TOR1H	
TOR2U, TOR2H	
TOR3U, TOR3H	
TOR4U, TOR4H	
TOR5U, TOR5H	
TOR6U, TOR6H	
TOR7U, TOR7H	
TOR8U, TOR8H	
TOR9U, TOR9H	
TOR10U, TOR10H	
TOR11U, TOR11H	

Shelf Life/Storage Conditions, cont'd.

18 Month Shelf Life	Storage Temperature Range 40°F (4.4°C) to 90°F (32°C)
ITEM NUMBER	ITEM DESCRIPTION
739	BUTYL LINER REPAIR SEALER

2 Year Shelf Life	Storage Temperature Range 50°F (10°C) to 86°F (30°C) and out of direct sunlight	
Item Number	Item Description	
603, 603R	BP CHEMICAL GRAY GUM AND THERMACURE REPAIR UNITS	
604, 604R		
605, 605R		
606, 606R		
607, 607R		
608, 608R		
609, 609R		
610, 610R		
620, 620R		BPT CHEMICAL GRAY GUM AND THERMACURE REPAIR UNITS
621, 621R		
622, 622R		
623, 623R		
624, 624R		
625, 625R		
626, 626R		
627, 627R		
CT45A, CT45AR	RADIAL OTR GRAY CHEMICAL GUM AND THERMACURE REPAIR UNITS	
CT46A, CT46AR		
CT50A, CT50AR		
CT52A, CT52AR		
CT55A, CT55AR		
CT56A, CT56AR		
CT60A, CT60AR		
CT62A, CT62AR		
CT65A, CT65AR		
CT72A, CT72AR		
CT75A, CT75AR		
CT85A, CT85AR		
GH200, GH218		CHEMICAL CUSHION GUM
SK12R	THERMACURE SKIDDER REPAIR UNITS	
SK16R		
SK20R		
SK24R		
TOR1, TOR1R	BIAS OTR CHEMICAL GRAY GUM AND THERMACURE REPAIR UNITS	
TOR2, TOR2R		
TOR3, TOR3R		
TOR4, TOR4R		
TOR5, TOR5R		
TOR6, TOR6R		
TOR7, TOR7R		
TOR8, TOR8R		
TOR9, TOR9R		
TOR10, TOR10R		
TOR11, TOR11R		


Shelf Life/Storage Conditions, cont'd.

2 Year Shelf Life	Storage Temperature Range 40°F (4.4°C) to 90°F (32°C)
ITEM NUMBER	ITEM DESCRIPTION
1082	TEM VULC BLACK CEMENT
738	SECURITY COAT REPAIR SEALER
760, 761	CHEMICAL VULCANIZING FLUID
775, 776	HEAVY DUTY BLUE CEMENT
858, 859	CHEMICAL COMPOUND A&B SET

3 Year Shelf Life	Storage Temperature Range 50°F (10°C) to 86°F (30°C) and out of direct sunlight
ITEM NUMBER	ITEM DESCRIPTION
182, 182AR	CT-42 Chemical Gray Gum & Thermacure Repair Units
184, 184AR	CT-44 Chemical Gray Gum & Thermacure Repair Units
196	CT-80 Chemical Gray Gum Repair Unit
197	CT-82 Chemical Gray Gum Repair Unit
198	CT-84 Chemical Gray Gum Repair Unit
199	CT-86 Chemical Gray Gum Repair Unit



MFG: 2111 = Manufactured Week 21, Year 2011
EXP: 2113 = Expires Week 21, Year 2013



MFG: 2611 = Manufactured Week 26, Year 2011

Shelf Life/Storage Conditions, cont'd.

5 Year Shelf Life	Storage Temperature Range 40°F (4.4°C) to 90°F (32°C) and out of direct sunlight	
Item Number	Item Description	
603C	BP CLOTH BACK REPAIR UNITS	
604C		
605C		
606C		
607C		
608C		
609C		
610C		
620C		BPT CLOTH BACK REPAIR UNITS
621C		
622C		
623C		
624C		
625C		
626C		
627C		
704, 704A	RUB-O-MATIC RUBBER CLEANER	
AX50C	RADIAL OTR CLOTH BACK REPAIR UNITS	
AX60C		
AX80C		
AX100C		
AX120C		
AX140C		
AX155C		
CT45AC		RADIAL OTR CLOTH BACK REPAIR UNITS
CT46AC		
CT50AC		
CT52AC		
CT55AC		
CT56AC		
CT60AC		
CT62AC		
CT65AC		
CT72AC		
CT75AC		
CT85AC		
TOR1C	BIAS OTR CLOTH BACK REPAIR UNITS	
TOR2C		
TOR3C		
TOR4C		
TOR5C		
TOR6C		
TOR7C		
TOR8C		
TOR9C		
TOR10C		
TOR11C		